

## Certificate of Conformity of the Factory Production Control 1213–CPR–4325

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

**Arter GTS** 20-20-25; 20-20-30; 30-20-30; 30-30-25; 31; 35-20-25; 35-30-25; 35-30-30; 35-35;  
35-35-25; 40-20-25; 40-30-25; 40-40-25; 50-10-20; 50-10-25; 50-50-25; 50-50-30;  
50-50-35; 55-20-25; 55-20-30; 55-30-25; 55-30-30; 55-55-20; 55-55-25; 55-55-30;  
55-55-35; 60-20-25; 60-60-25; 65-20-25; 65-30-25; 65-65-25; 70-20-25; 80-10-25;  
80-20-25; 80-25-60; 80-30-25; 80-80-20; 80-80-25; 90-20-25; 90-30-25; 110-20-25;  
110-30-25; 110-30-30; 110-110-20; 110-110-25; 120-20-25; 130-20-25; 150-20-25;  
150-20-30; 150-30-25; 150-150-25; 200-10; 200-20-25; 200-30-25; 200-50; 200-50-25;  
250-30; 250-30-25; 250-50-25; 280-10; 300-10; 300-20; 300-30-30; 300-50-25;  
350-10-25; 350-30; 350-50; 400-20-25; 400-50; 450-10-25; 450-50-25; 470-10;  
500-10-25; 500-50; 600-10-25; 600-30-25; 600-50; 800-10; 800-30-30; 800-50

Geogrid, knitted with EVA-coating; Raw material: PET

**Arter GTM** 60-30-30; 100-30-30; 150-30-30

Geogrid, knitted + green mesh; Raw material: PET + HDPE

used for the function: R

produced by or for

### Alpe Adria Textil S.r.l.

Strada di Salt, 50  
33047 Remanzacco (UD)  
Italy

and produced in the manufacturing plant(s)

### Remanzacco

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

**EN 13249:2000/A1:2005; EN 13250:2000/A1:2005;**

**EN 13251:2000/A1:2005**

**EN 13257:2000/A1:2005; EN 13265:2000/A1:2005**

under system 2+ the performances set out in this certificate are applied and that

**the factory production control fulfils all the prescribed requirements  
for these performances.**

This certificate was first issued on 2008-02-11 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the factory production control certification body.



i. V.

Dipl.-Ing. Helmut Zanzinger  
Certification Body

Würzburg, 26 January 2015